

American Metric Corporation Alphabetical Product Index

Alphabetical Index of Products	Group	Catalog Page
Adapter Sleeve Shaft Lock Washers, Mounted Bearing Type	66	M 261, A 420
Adapter Sleeve Shaft Nuts, Mounted Bearing Type	65	M 260, A 419
Adapter Sleeve, for Mounted Bearings	68	M 258, A 417
Air Cylinders	51	AT 178-184
Air Springs	51	AT 178-184
Ball Joints	69	M 283
Balls, Metric and Inch	67	M 262-264, A 346-347
Bar Sock, American Standard Oil Impregnated Bronze	177	A 358-376
Bars, Hexagon, Metric	55	M 403
Bars, Metric Oil Impregnated Bronze	77	M 298
Bearings, American Standard Oil Impregnated Bronze	177	A 358-376
Bearings, Linear Motion, American Type	3	A 349-350
Bearings, Linear Motion, European Type	3	A 351-352
Bearings, Linear Motion, Japanese Type	3	A 353-354
Bearings, Metric Oil Impregnated Bronze	77	M 286-295
Bearings, Mounted, Adapter Sleeve Shaft Lock Washers	66	M 261
Bearings, Mounted, Adapter Sleeve Shaft Nuts	65	M 260
Bearings, Mounted, Inch Dimension	185	A 384-416
Bearings, Mounted, Metric Dimensions	85	M 416-460
Bearings, Mounted, Withdraw Sleeves	56	M 259, A 418
Bearings, Roller, Ball, Taper	76	M 412-415, A 421-426
Bearings, Spherical	69	M 277-282
Belts, Flat Endless	42	M 151
Belts, Poly-V (Ribbed) American Standard	43	A 278
Belts, Poly-V (Ribbed) Metric Standard	43	M 127
Belts, Round Polyurethane	44	M 125
Belts, Timing, American Standard (MXL..XH) Neoprene	91	M 146-149, A 287-302
Belts, Timing, American Standard (MXL..XH) Polyurethane	191	
Belts, Timing, Clamping Plates	8	M 252
Belts, Timing, HTD Neoprene	93	M 139-142, A279-282
Belts, Timing, HTD Polyurethane	193	
Belts, Timing, Metric Pitch Polyurethane Endless	40	M 132-138
Belts, Timing, Open Ended American Standard (MXL..XH) Polyurethane	291	M 150, A 303
Belts, Timing, Open Ended HTD Polyurethane	293	M 150, A 304
Belts, Timing, Open Ended Metric Pitch Polyurethane	240	M 150
Belts, Timing, Open Ended Super Torque Polyurethane	292	A 304
Belts, Timing, Spliced Polyurethane	540	M 152
Belts, Timing, Super Torque Neoprene	92	M 143-145, A 283-286
Belts, Timing, Synchroflex Polyurethane	140	
Belts, Variable Speed Metric	41	M 128-131
Belts, V-Belt Link Belts	832	M 124
Belts, V-Belt Polyurethane	44	M 125-126
Belts, V-Belt, American Standard	83	A 264-271
Belts, V-Belt, Metric Banded	46	M 124
Belts, V-Belt, Metric Blue Value Line® (BVL)	89	A 272-277
Belts, V-Belt, Metric Classical	31	M 117-119
Belts, V-Belt, Metric Double Sided	37	
Belts, V-Belt, Metric High Capacity Narrow	32	M 120
Belts, V-Belt, Metric High Capacity Narrow Raw Edged Notched	38	M 121
Belts, V-Belt, Metric Raw Edged Cogged Classical	36	M 122
Belts, V-Belt, Metric Small Profile Raw Edged	39	M 117
Bolted Sprocket Hub	10	M 301
Bushings, Adaptor Taper-Lock®	10	M 307
Bushings, American Standard Oil Impregnated Bronze	177	A 358-376
Bushings, Inch Cast Bronze SAE 660	77	A 380-383
Bushings, Keyless Self-Locking	57	M 208-309

American Metric Corporation

Alphabetical Product Index

Alphabetical Index of Products	Group	Catalog Page
Bushings, Metric Cast Bronze SAE 660	77	M 299
Bushings, Metric Nylon	77	M 296-297
Bushings, Metric Oil Impregnated Bronze	77	M 286-295
Bushings, Metric Teflon	77	M 297
Bushings, QD Type	24	A 254-260
Bushings, Split Taper, Browning® Type	14	A 261-263
Bushings, TaperLock® Type	14	M 302-306, A251-253
Calipers	99	M 461, A427
Chain Breakers	99	M 461, A427
Chain, Flat Top	20	M 40
Chain, Leaf ANSI	105	A 37-39
Chain, Leaf Premium Metric and ANSI	20	M 37-39
Chain, PIV	4	M 49
Chain, Roller ANSI	105	A 4, A 7-43
Chain, Roller ANSI Agricultural	105	A 40-42
Chain, Roller ANSI Assembled to Order	105	A 43
Chain, Roller ANSI Conveyor Attachments	105	A 14-20, A22-26
Chain, Roller ANSI Double Pitch Chain	105	A 12, A 21
Chain, Roller ANSI Hollow Pin	105	A 28-30
Chain, Roller ANSI Nickel Plated	105	A 11
Chain, Roller ANSI Plastic Rollers	105	A 27
Chain, Roller ANSI Stainless Steel	105	A 31-36
Chain, Roller ANSI Zinc Plated	105	A 10
Chain, Roller Blue Value Line (BVL) Metric	579	A 6
Chain, Roller Chain Guide Rails	8	M 50-53
Chain, Roller, Premium ANSI Standard	5	A 5
Chain, Roller, Premium Metric Connector Link Assortment Kit	5	M 54
Chain, Roller, Premium Metric High Performance	5	M 42
Chain, Roller, Premium Metric Standard	5	M 4-54
Chain, Roller, Premium, Metric Accumulator Chain	5	M 35-36
Chain, Roller, Premium, Metric Agricultural Attachments	5	M 15
Chain, Roller, Premium, Metric Attachments	5	M 11-24
Chain, Roller, Premium, Metric Bush Chain	5	M 6
Chain, Roller, Premium, Metric Conveyor Chain	5	M 27-32
Chain, Roller, Premium, Metric Corrosion Resistant Chain	5	M 44
Chain, Roller, Premium, Metric Extended Pin	5	M 16-17
Chain, Roller, Premium, Metric High Performance	5	M 42
Chain, Roller, Premium, Metric Hollow Pin Chain	5	M 8
Chain, Roller, Premium, Metric Long Pitch Chain	5	M 7
Chain, Roller, Premium, Metric Nickel Plated	5	M 6
Chain, Roller, Premium, Metric O-Ring Chain	5	M 9
Chain, Roller, Premium, Metric Rubber Top Chain	5	M 9
Chain, Roller, Premium, Metric Self Lubricated Chain	5	M 43
Chain, Roller, Premium, Metric Side Bow Chain	5	M 25
Chain, Roller, Premium, Metric Stainless Steel	5	M 5
Chain, Roller, Premium, Metric Stud Chain	5	M 33
Chain, Roller, Premium, Metric X-Ring Chain	5	M 9
Chain, Silent	20	M 45-48
Clamping Plates, Timing Belt	8	M 252
Coatings, Corrosion Block	99	M 462, A 357
Couplings, Beam	78	M 338-339
Couplings, Chain	78	M 336, A 345
Couplings, Elastic Flange	78	M 337
Couplings, Gear	78	M 335
Couplings, HRC	78	A 335
Couplings, L Type Jaw	78	A 336-344

American Metric Corporation Alphabetical Product Index

Alphabetical Index of Products	Group	Catalog Page
Couplings, Metric and Inch	78	M 334-339, A 335-345
Couplings, Star	78	M 334
Deceleration Cylinders	51	AT 165-169
Drill Rod, Metric	45	M 404
Elements, Metric Machinery	90	M 394-400
Fork Joints Metric DIN 7151	69	M 284
Gas Springs	51	AT 175-177
Gear Gage, Metric	99	M 461
Gear Rack, American Standard (Diametral Pitch)	130	A 97
Gear Rack, Metric Pitch (Module)	30	M 108-112
Gear Reducers, Ametric® Brand (Bonfiglioli Type)	1	GT 2-63, AT 4-67
Gear Reducers, Ametric® Brand (Motovario Type)	1	UMR 1-9, AT 68-76
Gear, Taper-Lock® Adaptor	10	M 307
Gears, Bevel, American Standard (Diametral Pitch) Bored To Size	129	
Gears, Bevel, American Standard (Diametral Pitch) Minimum Plain Bore	127	A 93-96
Gears, Bevel, Metric Pitch (Module) Bored to size	29	
Gears, Bevel, Metric Pitch (Module) Minimum Plain Bore	27	M 92-97
Gears, Spur, American Standard (Diametral Pitch) Bored To Size	126	
Gears, Spur, American Standard (Diametral Pitch) Minimum Plain Bore	125	A 82-92
Gears, Spur, Metric Pitch (Module) Bored to Size	26	
Gears, Spur, Metric Pitch (Module) Minimum Plain Bore	25	M 90-91
Gears, Spur, Metric Pitch (Module) Minimum Plain Bore, Cast Iron	25	M 98
Gears, Spur, Metric Pitch (Module) Minimum Plain Bore, Induction Hardened	25	M 100
Gears, Spur, Metric Pitch (Module) Minimum Plain Bore, Plastic	25	M 101-107
Gears, Spur, Metric Pitch (Module) Minimum Plain Bore, Stainless Steel	25	M 99
Gears, Worm, Metric Pitch (Module) Minimum Plain Bore	28	Web Site
Grease Fittings, Inch and Metric	58	M 391-393, A 348
Grips, Ball, Star	90	M 398
Handles, Machine	90	M 397-398
Hexagon Bars, Metric	55	M 403
Hub, Bolted Sprocket	10	M 301
Hub, Weld-On Sprocket	10	M 300
Hydraulic Tubing, Metric	54	M 402
Idlers, Belt Pulley	15	M 113-116
Joints, Ball	69	M 283
Joints, Metric Fork DIN 7151	69	M 284
Joints, Universal	52	M 310-313
Key Stock Kits, Metric	50	M 365-366
Key Stock, Metric	50	M 403
Keys, Metric Shaft	64	M 328-329
Knobs, Ball, Star	90	M 398
Lever, Clamping	90	M 396
Linear Motion Bearings, American Type	3	A 349-350
Linear Motion Bearings, European Type	3	A 351-352
Linear Motion Bearings, Japanese Type	3	A 353-354
Linear Motion Components	3	A 349-354, AT 192-260
Linear Motion Lubrication (Lube Spray)	99	M 462, A 357
Linear Shafting Lubrication	99	M 462, A 357
Linear Shafting, Hardened	3	A 355-356
Lock Nuts, Din 985	47	M 390
Locking Rings, Self-Locking	57	M 314-327, A307-325
Lubrication, Linear Shafting	99	M 462, A 357
Motor Bases	2	GT 116-118, AT 129-131
Motors Ametric® Brand	2	GT 65-115, AT 78-128
Mounted Bearing Adapter Sleeves	68	M 258
Oil Seals	71	M 410

American Metric Corporation Alphabetical Product Index

Alphabetical Index of Products	Group	Catalog Page
Oil, Plug, Sight Glass	90	M 399
O-Rings, Inch	59	A 330-331
O-Rings, Metric	59	M 405-409
Pins, Metric Machine Pins	63	M 367-382
Pulley, American Standard Poly-V (Ribbed Belt)	23	A 240-250
Pulley, Belt, Idlers and Tensioners	15	M 113-116
Pulley, Metric Poly-V (Ribbed Belt)	23	M 241-251
Pulley, Taper-Lock® Adaptor	10	M 307
Pulley, Timing, Gates® Type GT®2 Taper Lock® Bushings and MPB	100	Web Site
Pulley, Timing, PowerGrip Bored To Size	88	
Pulley, Timing, American Standard (MXL..XH) Bored To Size	87	
Pulley, Timing, American Standard (MXL..XH) Minimum Plain Bore	81	M 196-209, A106-119
Pulley, Timing, American Standard (MXL..XH) QD Bushed	74	A 150-154
Pulley, Timing, American Standard (MXL..XH) Taper Lock	82	M 221-225, A 131-135
Pulley, Timing, Bar Stock In Aluminum and Steel	21	M 253-256, A155-158
Pulley, Timing, Flanges Inch	22	
Pulley, Timing, Flanges Metric	22	M 257
Pulley, Timing, Gates® Type GT®2, Minimum Plain Bore	96	M 232-240
Pulley, Timing, HTD Bored To Size	86	
Pulley, Timing, HTD Minimum Plain Bore	80	M 188-195, A98-105
Pulley, Timing, HTD QD Bushed	9	A 142-149
Pulley, Timing, HTD Taper-Lock® Type Bushed	16	M 215-220, A 125-130
Pulley, Timing, Metric Pitch Bored-to-Size	19	
Pulley, Timing, Metric Pitch Minimum plain bore	17	M 179-187
Pulley, Timing, Poly Chain Bored To Size	88	
Pulley, Timing, Poly Chain Minimum Plain Bore	94	M 232-240
Pulley, Timing, Poly Chain, Taper Lock	95	M 232-240
Pulley, Timing, ST2 PowerGrip Minimum Plain Bore	94	M 210-214, A 120-124
Pulley, Timing, ST2 PowerGrip, Taper Lock	95	M 226-231, A 136-141
Pulley, Timing, Super Torque ST2 Bored To Size	88	
Pulley, Timing, Super Torque ST2 Minimum Plain Bore	94	M 210-214, A 120-124
Pulley, Timing, Super Torque ST2, Taper Lock	95	M 226-231, A 136-141
Pulley, Variable Speed	18	M 176-178
Pulley, V-Belt American Standard Bored To Size	134	
Pulley, V-Belt, American Standard Minimum Plain Bore	133	A 159-167
Pulley, V-Belt, American Standard QD	114	A 202-239
Pulley, V-Belt, American Standard Taper Lock®	113	A 168-201
Pulley, V-Belt, Metric Adjustable Speed Solid Hub	33	M 175
Pulley, V-Belt, Metric Adjustable Speed Taper Lock®	13	M 174
Pulley, V-Belt, Metric Bored To Size	34	
Pulley, V-Belt, Metric for Taper-Lock® Bushings	13	M 166-173
Pulley, V-Belt, Metric Minimum Plain Bore	33	M 155-165
Ratchets	90	M 400
Reducers, Ametric® Brand (Bonfiglioli Type)	1	GT 2-63, AT 4-67
Reducers, Ametric® Brand (Motovario Type)	1	UMR 1-9, AT 68-76
Retaining Rings, American Standard	162	A 332-334
Retaining Rings, Metric	62	M 340-357
Rings, Self-Locking	57	M 314-327, A307-325
Rod Ends, Inch and Metric	69	M 265-282, A 305-306
Rods, Threaded, Metric	60	M 389
Rotary Dampers	51	AT 171-174
Seals, Oil	71	M 410
Set Collars, Inch And Metric	53	M 330-333, A 326-329
Set Screws, Metric	48	M 383-384
Shaft Collars, Inch And Metric	53	M 330-333, A 326-329
Shaft Keys, Metric	64	M 328-329

American Metric Corporation Alphabetical Product Index

Alphabetical Index of Products	Group	Catalog Page
Shafting, Ground and Polished, Metric Dimension Round	45	M 401-403
Shafting, Linear Motion, Hardened	3	A 355-356
Sheave, V-Belt, Metric for Taper-Lock® Bushings	13	M 166-173
Sheave, Poly-V (Ribbed Belt)	23	M 241-251
Sheave, Variable Speed	18	M 176-178
Sheave, V-Belt, American Standard QD	114	A 202-239
Sheave, V-Belt, American Standard Taper Lock®	113	A 168-201
Sheave, V-Belt, Metric Bored To Size	34	
Sheave, V-Belt, Metric Minimum Plain Bore	33	M 155-165
Shim Washers, Metric	49	M364-365
Shock Absorbers	51	AT 142-164
Spherical Plain Bearings	69	M 277-282
Spline, Bushing, Shafting	90	M 394-395
Springs, Air	51	AT 178-184
Springs, Gas	51	AT 175-177
Sprocket, American Standard Idlers and Tensioners	15	A 81
Sprocket, Bolted Hub	10	M 301
Sprocket, Metric Idlers and Tensioners	15	M 84
Sprocket, Taper-Lock® Adaptor	10	M 307
Sprocket, Weld-On-Hub	10	M 300
Sprockets, American Standard Bored To Size	184	
Sprockets, American Standard for QD Type Bushings	98	A 71-80
Sprockets, American Standard for Taper-Lock® Type Bushings	98	A 64-70
Sprockets, American Standard Minimum Plain Bore	84	A 44-63
Sprockets, Flat Top	10	M 55-85
Sprockets, Metric (BS) Bored-to-Size	11	
Sprockets, Metric (BS) for Taper-Lock® Bushings	12	M 80-83
Sprockets, Metric (BS) Minimum plain bore	10	M 55-79
Sprockets, Metric (BS) Minimum plain bore, Flame Hardened	10	M 86
Sprockets, Metric (BS) Minimum plain bore, Plastic	10	M 88-89
Sprockets, Metric (BS) Minimum plain bore, Stainless Steel	10	M 87
Steel Balls, Metric and Inch	67	M 262-264, A 346-347
Steel, Metric Flat Steel	50	M 403
Tensioners, Belt Pulley And Chain Tensioning System	15	M 113-116
Threaded Rods, Metric	60	M 389
Threaded Spindles and Nuts	3	M 385-388
Thrust Washer, American Standard Oil Impregnated Bronze	177	A 358-376
Tubing, Hydraulic Metric	54	M 402
Universal Joints	52	M 310-313
Variators	2	GT 120-125, AT 133-137
Vibration Isolator	51	AT 185-189
Washers, Metric	49	M 358-365
Weld-On-Hub for Sprockets	10	M 300
Wheels, Hand	90	M 396
Withdraw Sleeves, for Mounted Bearing	56	M 259

Catalog Page Index

A = American Standard Catalog 2005 Cat No. ANSI 0502

AT = Automation Technology Cat. No. AT 0408

GR = Gear Reducer, Variator and Motor Cat. No. GRVM 0302

M = Metric / International Catalog 2004 Cat No. 0305

UMR = Universal Mount Reducer (Motovario Type)