


3 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
111 S3M	111	37
117 S3M	117	39
120 S3M	120	40
123 S3M	123	41
126 S3M	126	42
129 S3M	129	43
141 S3M	141	47
144 S3M	144	48
150 S3M	150	50
156 S3M	156	52
159 S3M	159	53
165 S3M	165	55
168 S3M	168	56
171 S3M	171	57
174 S3M	174	58
177 S3M	177	59
180 S3M	180	60
183 S3M	183	61
186 S3M	186	62
192 S3M	192	64
195 S3M	195	65
201 S3M	201	67
204 S3M	204	68
207 S3M	207	69
210 S3M	210	70
213 S3M	213	71
216 S3M	216	72
225 S3M	225	75
237 S3M	237	79
240 S3M	240	80
243 S3M	243	81
246 S3M	246	82
249 S3M	249	83
252 S3M	252	84
255 S3M	255	85
261 S3M	261	87
264 S3M	264	88
267 S3M	267	89
276 S3M	276	92
282 S3M	282	94
285 S3M	285	95
288 S3M	288	96
291 S3M	291	97
294 S3M	294	98
300 S3M	300	100
306 S3M	306	102
312 S3M	312	104
315 S3M	315	105
318 S3M	318	106
330 S3M	330	110
333 S3M	333	111
336 S3M	336	112
339 S3M	339	113
345 S3M	345	115
357 S3M	357	119
363 S3M	363	121
366 S3M	366	122
384 S3M	384	128
390 S3M	390	130
393 S3M	393	131
420 S3M	420	140

"Super Torque" Synchronous Belts

3 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
426 S3M	426	142
447 S3M	447	149
459 S3M	459	153
462 S3M	462	154
474 S3M	474	158
477 S3M	477	159
480 S3M	480	160
483 S3M	483	161
486 S3M	486	162
489 S3M	489	163
495 S3M	495	165
501 S3M	501	167
504 S3M	504	168
507 S3M	507	169
513 S3M	513	171
519 S3M	519	173
522 S3M	522	174
525 S3M	525	175
531 S3M	531	177
537 S3M	537	179
558 S3M	558	186
564 S3M	564	188
570 S3M	570	190
573 S3M	573	191
579 S3M	579	193
582 S3M	582	194
585 S3M	585	195
591 S3M	591	197
594 S3M	594	198
597 S3M	597	199
600 S3M	600	200
606 S3M	606	202
612 S3M	612	204
615 S3M	615	205
621 S3M	621	207
633 S3M	633	211
636 S3M	636	212
648 S3M	648	216
657 S3M	657	219
660 S3M	660	220
669 S3M	669	223
672 S3M	672	224
675 S3M	675	225
681 S3M	681	227
699 S3M	699	233
708 S3M	708	236
711 S3M	711	237
714 S3M	714	238
738 S3M	738	246
750 S3M	750	250
753 S3M	753	251
765 S3M	765	255
789 S3M	789	263
804 S3M	804	268
810 S3M	810	270
816 S3M	816	272
822 S3M	822	274
843 S3M	843	281
882 S3M	882	294
888 S3M	888	296
900 S3M	900	300
945 S3M	945	315



3 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
960 S3M	945	320
1041 S3M	960	347
1062 S3M	1041	354
1068 S3M	1062	356
1071 S3M	1068	357
1125 S3M	1071	375
1176 S3M	1125	392
1245 S3M	1176	415
1263 S3M	1245	421
1500 S3M	1263	500
1530 S3M	1500	510
1569 S3M	1530	523
1587 S3M	1569	529
1863 S3M	1587	621

4.5 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
504 S4.5M	504	112
518 S4.5M	518	115
558 S4.5M	558	124
565 S4.5M	565	125
567 S4.5M	567	126
612 S4.5M	612	136
617 S4.5M	617	137
630 S4.5M	630	140
675 S4.5M	675	150
711 S4.5M	711	158
801 S4.5M	801	178

Note:
American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.

Standard Belt Width (mm)	6	9	15
--------------------------	---	---	----


Ordering Example:

120S3M6
 120----- Length (mm)
 S----- Super Torque
 3M----- Pitch
 6----- Width (mm)

Standard Belt Width (mm)	6	10	15
--------------------------	---	----	----

Note: Special widths and constructions available by special order.






5 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
120 S5M	120	24
125 S5M	125	25
180 S5M	180	36
225 S5M	225	45
255 S5M	255	51
265 S5M	265	53
270 S5M	270	54
275 S5M	275	55
280 S5M	280	56
295 S5M	295	59
300 S5M	300	60
305 S5M	305	61
325 S5M	325	65
330 S5M	330	66
340 S5M	340	68
345 S5M	345	69
350 S5M	350	70
355 S5M	355	71
360 S5M	360	72
365 S5M	365	73
370 S5M	370	74
375 S5M	375	75
385 S5M	385	77
390 S5M	390	78
400 S5M	400	80
405 S5M	405	81
415 S5M	415	83
425 S5M	425	85
450 S5M	450	90
460 S5M	460	92
475 S5M	475	95
490 S5M	490	98
500 S5M	500	100
520 S5M	520	104
525 S5M	525	105
535 S5M	535	107
540 S5M	540	108
550 S5M	550	110
560 S5M	560	112
565 S5M	565	113
575 S5M	575	115
580 S5M	580	116
600 S5M	600	120
610 S5M	610	122
615 S5M	615	123
620 S5M	620	124
625 S5M	625	125
630 S5M	630	126
635 S5M	635	127
640 S5M	640	128
645 S5M	645	129
650 S5M	650	130
665 S5M	665	133
670 S5M	670	134
675 S5M	675	135
700 S5M	700	140
710 S5M	710	142
720 S5M	720	144
740 S5M	740	148
750 S5M	750	150
755 S5M	755	151

"Super Torque" Synchronous Belts



8 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
775 S5M	775	155
800 S5M	800	160
825 S5M	825	165
835 S5M	835	167
850 S5M	850	170
860 S5M	860	172
890 S5M	890	178
900 S5M	900	180
925 S5M	925	185
935 S5M	935	187
940 S5M	940	188
950 S5M	950	190
965 S5M	965	193
980 S5M	980	196
1000 S5M	1000	200
1035 S5M	1035	207
1050 S5M	1050	210
1100 S5M	1100	220
1125 S5M	1125	225
1135 S5M	1135	227
1150 S5M	1150	230
1200 S5M	1200	240
1270 S5M	1270	254
1300 S5M	1300	260
1350 S5M	1350	270
1420 S5M	1420	284
1425 S5M	1425	285
1450 S5M	1450	290
1500 S5M	1500	300
1595 S5M	1595	319
1600 S5M	1600	320
1690 S5M	1690	338
1720 S5M	1720	344
1790 S5M	1790	358
1800 S5M	1800	360
1870 S5M	1870	374
1895 S5M	1895	379
2000 S5M	2000	400
2100 S5M	2100	420
2110 S5M	2110	422
2350 S5M	2350	470
2525 S5M	2525	505

8 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
288 S8M	288	36
320 S8M	320	40
352 S8M	352	44
376 S8M	376	47
416 S8M	416	52
424 S8M	424	53
440 S8M	440	55
472 S8M	472	59
480 S8M	480	60
512 S8M	512	64
520 S8M	520	65
536 S8M	536	67

Belt No.	Pitch Length (mm)	No. Teeth
560 S8M	560	70
576 S8M	576	72
600 S8M	600	75
608 S8M	608	76
624 S8M	624	78
632 S8M	632	79
640 S8M	640	80
656 S8M	656	82
680 S8M	680	85
688 S8M	688	86
696 S8M	696	87
712 S8M	712	89
720 S8M	720	90
728 S8M	728	91
736 S8M	736	92
760 S8M	760	95
768 S8M	768	96
776 S8M	776	97
784 S8M	784	98
792 S8M	792	99
800 S8M	800	100
824 S8M	824	103
840 S8M	840	105
848 S8M	848	106
856 S8M	856	107
864 S8M	864	108
880 S8M	880	110
896 S8M	896	112
912 S8M	912	114
920 S8M	920	115
944 S8M	944	118
960 S8M	960	120
976 S8M	976	122
992 S8M	992	124
1000 S8M	1000	125
1024 S8M	1024	128
1032 S8M	1032	129
1040 S8M	1040	130
1056 S8M	1056	132
1064 S8M	1064	133
1072 S8M	1072	134
1080 S8M	1080	135
1096 S8M	1096	137
1120 S8M	1120	140
1128 S8M	1128	141
1136 S8M	1136	142
1152 S8M	1152	144
1160 S8M	1160	145
1168 S8M	1168	146
1176 S8M	1176	147
1184 S8M	1184	148
1192 S8M	1192	149
1200 S8M	1200	150
1208 S8M	1208	151
1216 S8M	1216	152
1224 S8M	1224	153
1240 S8M	1240	155
1248 S8M	1248	156
1256 S8M	1256	157
1264 S8M	1264	158
1280 S8M	1280	160


Ordering Example:

440S8M20
 440----- Length (mm)
 S----- Super Torque
 8M----- Pitch
 20----- Width (mm)

Standard Belt Width (mm)	9	15	25
--------------------------	---	----	----

Note: Special widths and constructions available by special order.


Standard Belt Width (mm)	20	30	50	85
--------------------------	----	----	----	----



8 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
1304 S8M	1304	163
1312 S8M	1312	164
1328 S8M	1328	166
1344 S8M	1344	168
1352 S8M	1352	169
1360 S8M	1360	170
1400 S8M	1400	175
1408 S8M	1408	176
1424 S8M	1424	178
1432 S8M	1432	179
1440 S8M	1440	180
1480 S8M	1480	185
1520 S8M	1520	190
1552 S8M	1552	194
1600 S8M	1600	200
1680 S8M	1680	210
1696 S8M	1696	212
1728 S8M	1728	216
1760 S8M	1760	220
1776 S8M	1776	222
1800 S8M	1800	225
1816 S8M	1816	227
1904 S8M	1904	238
1912 S8M	1912	239
1936 S8M	1936	242
2000 S8M	2000	250
2080 S8M	2080	260
2104 S8M	2104	263
2240 S8M	2240	280
2248 S8M	2248	281
2272 S8M	2272	284
2392 S8M	2392	299
2400 S8M	2400	300
2496 S8M	2496	312
2504 S8M	2504	313
2600 S8M	2600	325
2800 S8M	2800	350
3008 S8M	3008	376
3048 S8M	3048	381
3200 S8M	3200	400
3280 S8M	3280	410
3408 S8M	3408	426
3600 S8M	3600	450

"Super Torque" Synchronous Belts



14 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
826 S14M	826	59
924 S14M	924	66
966 S14M	966	69
1092 S14M	1092	78
1190 S14M	1190	85
1400 S14M	1400	100
1540 S14M	1540	110
1610 S14M	1610	115
1778 S14M	1778	127
1890 S14M	1890	135
2002 S14M	2002	143
2100 S14M	2100	150
2240 S14M	2240	160
2310 S14M	2310	165
2450 S14M	2450	175
2590 S14M	2590	185
2800 S14M	2800	200
3150 S14M	3150	225
3360 S14M	3360	240
3500 S14M	3500	250
3850 S14M	3850	275
4004 S14M	4004	286
4326 S14M	4326	309
4508 S14M	4508	322
5012 S14M	5012	358

Note:
American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.

20 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
2000 S20M	2000	100
2500 S20M	2500	125
3200 S20M	3200	160
3220 S20M	3220	161
3400 S20M	3400	170
3800 S20M	3800	190

Standard Belt Width (mm)	20	30	50	85
--------------------------	----	----	----	----

Note: Special widths and constructions available by special order.

Ordering Example:




1400S14M40
 1400 ----- Length (mm)
 S ----- Super Torque
 14M ----- Pitch
 40 ----- Width (mm)

Standard Belt Width (mm)	40	55	85	115	170
--------------------------	----	----	----	-----	-----

Standard Belt Width (mm)	115	170	230	290	340
--------------------------	-----	-----	-----	-----	-----



Double "Super Torque" Synchronous Belts



3 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
D501 S3M	501	167
D504 S3M	504	168
D507 S3M	507	169
D513 S3M	513	171
D522 S3M	522	174
D525 S3M	525	175
D531 S3M	531	177
D537 S3M	537	179
D564 S3M	564	188
D573 S3M	573	191
D576 S3M	576	192
D579 S3M	579	193
D582 S3M	582	194
D585 S3M	585	195
D597 S3M	597	199
D600 S3M	600	200
D606 S3M	606	202
D609 S3M	609	203
D612 S3M	612	204
D621 S3M	621	207
D633 S3M	633	211
D636 S3M	636	212
D639 S3M	639	213
D657 S3M	657	219
D660 S3M	660	220
D669 S3M	669	223
D675 S3M	675	225
D681 S3M	681	227
D699 S3M	699	233
D711 S3M	711	237
D714 S3M	714	238
D750 S3M	750	250
D753 S3M	753	251
D765 S3M	765	255
D789 S3M	789	263
D801 S3M	801	267
D804 S3M	804	268
D810 S3M	810	270
D813 S3M	813	271
D843 S3M	843	281
D885 S3M	885	295
D900 S3M	900	300
D936 S3M	936	312
D1005 S3M	1005	335
D1050 S3M	1050	350
D1071 S3M	1071	357
D1125 S3M	1125	375
D1245 S3M	1245	415
D1260 S3M	1260	420
D1263 S3M	1263	421
D1344 S3M	1344	448
D1401 S3M	1401	467
D1569 S3M	1569	523
D1800 S3M	1800	600
D2388 S3M	2388	796
D2640 S3M	2640	880
D3000 S3M	3000	1000

Standard Belt Widths

3 mm: 6, 9, 15
 4.5 mm: 6, 10, 15
 5 mm: 9, 15, 25

4.5 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
D504 S4.5M	504	112
D518 S4.5M	518	115
D558 S4.5M	558	124
D563 S4.5M	563	125
D567 S4.5M	567	126
D612 S4.5M	612	136
D617 S4.5M	617	137
D630 S4.5M	630	140
D675 S4.5M	675	150
D711 S4.5M	711	158
D801 S4.5M	801	178
D1031 S4.5M	1031	229

5 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
D475 S5M	475	95
D500 S5M	500	100
D520 S5M	520	104
D525 S5M	525	105
D535 S5M	535	107
D540 S5M	540	108
D550 S5M	550	110
D560 S5M	560	112
D565 S5M	565	113
D575 S5M	575	115
D600 S5M	600	120
D615 S5M	615	123
D625 S5M	625	125
D630 S5M	630	126
D635 S5M	635	127
D640 S5M	640	128
D645 S5M	645	129
D650 S5M	650	130
D655 S5M	655	131
D665 S5M	665	133
D670 S5M	670	134
D675 S5M	675	135
D690 S5M	690	138
D695 S5M	695	139
D700 S5M	700	140
D710 S5M	710	142
D740 S5M	740	148
D745 S5M	745	149
D750 S5M	750	150
D755 S5M	755	151
D770 S5M	770	154
D800 S5M	800	160
D810 S5M	810	162
D825 S5M	825	165
D830 S5M	830	166
D835 S5M	835	167
D845 S5M	845	169
D850 S5M	850	170
D860 S5M	860	172
D870 S5M	870	174
D890 S5M	890	178
D900 S5M	900	180

Ordering Example: D501 S3M 6

D = Double
 501 = Length (mm)
 S = Super Torque
 3M = Pitch
 6 = Width

5 mm Pitch

Belt No.	Pitch Length (mm)	No. Teeth
D920 S5M	920	184
D930 S5M	930	186
D935 S5M	935	187
D940 S5M	940	188
D950 S5M	950	190
D960 S5M	960	192
D975 S5M	975	195
D1000 S5M	1000	200
D1025 S5M	1025	205
D1050 S5M	1050	210
D1100 S5M	1100	220
D1125 S5M	1125	225
D1145 S5M	1145	229
D1180 S5M	1180	236
D1185 S5M	1185	237
D1225 S5M	1225	245
D1270 S5M	1270	254
D1280 S5M	1280	256
D1295 S5M	1295	259
D1300 S5M	1300	260
D1350 S5M	1350	270
D1380 S5M	1380	276
D1400 S5M	1400	280
D1420 S5M	1420	284
D1455 S5M	1455	291
D1500 S5M	1500	300
D1595 S5M	1595	319
D1615 S5M	1615	323
D1700 S5M	1700	340
D1800 S5M	1800	360
D1870 S5M	1870	374
D2000 S5M	2000	400
D2050 S5M	2050	410
D2350 S5M	2350	470
D3255 S5M	3255	651
D3750 S5M	3750	750

Note:

American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.